

ISNI database: Source profiles - RAG information

Introduction

Profiles for data contributors will be used for setting some data element values and for determining possible restrictions on the use of the data. In particular the Rights Management Societies are concerned that the dates that they supply in relation to persons should not be communicated to third parties, including other data contributors as the dates are supplied confidentially and disclosing them may be in contravention of European law. Nevertheless, the same dates for persons in data sourced from VIAF are in the public domain and may be communicated.

See also the related specification entitled ISNI Database Selected Deletion by source.doc.

Profile

| Element | Example / Default | Comment / Usage |
|----------------------------------|---|---|
| Code | ALCS | This code is inserted into all data fields that you contribute to ISNI. Data with your code may only be edited by you and the ISNI Quality Team. |
| Name | Author's Licensing and Collecting Society | |
| Data confidence | 60 (default) | Meaning ALCS as a rights management society has indirect contact with the party behind entity This data is used to determine the overall confidence in the metadata and to select birth/death origin/end dates in case of conflict |
| Default creation class | (values not yet set) Default = "und" | applied to your incoming data if absent |
| Default creation role | aut Default = "cre" | applied to your incoming data if absent |
| Date restriction: persons | match only (default) | Values: none, match only. This determines whether the birth and death date of persons is masked from display and held only for matching purposes. If "none", then the data is not filtered in display. |
| Gender restriction: persons | match only (default) | Values: none, match only. This determines whether the gender of persons is masked from display and held only for matching purposes. If "none", then the data is not filtered in display. |
| Nationality restriction: persons | match only (default) | Values: none, match only. This determines whether the nationality of persons is masked from display and held only for matching purposes. If "none", then the data is not filtered in display. |
| Date restriction: organisations | none (default) | Values: none, match only. This determines whether the founding date and closing date of an organisation such as a university, musical band, etc. are masked from display and held only for matching purposes. If "none", then the |

| | | |
|---|---|--|
| | | data is not filtered in display. |
| Resources and resource identifiers restriction | match only (default) | Values: none, match only. This determines whether the titles of works and their identifiers such as ISBN, ISRC, etc. in which a person has played a creative role are masked from display and held only for matching purposes. If “none”, then the data is not filtered in display. |
| Publisher restriction | match only (default) | Values: none, match only. This determines whether the publishers of works associated with a person are masked from display and held only for matching purposes. If “none”, then the data is not filtered in display. |
| Affiliations restriction: person to persons | match only (default) | Values: none, match only. This determines whether other associated persons such as co-authors, co-performers, musical bands, etc. are masked from display and held only for matching purposes. If “none”, then the data is not filtered in display. |
| Affiliations restriction: person to organisations | none (default) | Values: none, match only. This determines whether the organisations with which a person is associated such as universities, musical bands, etc. are masked from display and held only for matching purposes. If “none”, then the data is not filtered in display. |
| Affiliations restriction: organisation to persons | none (default) | Values: none, match only. This determines whether the persons associated with an organisation such as a university chancellor, chief editor of a publisher etc. are masked from display and held only for matching purposes. If “none”, then the data is not filtered in display. |
| Affiliations restriction: organisation to organisations | none (default) | Values: none, match only. This determines whether the organisations associated with an organisation such as subsidiaries, departments, successor institutions etc. are masked from display and held only for matching purposes. If “none”, then the data is not filtered in display. |
| unmatched records | leave and notify when ISNI assigned (default) | Values: Leave and notify when ISNI assigned, Leave and do not notify, Delete if no ISNI assigned |

Filtering

Depending on the profile settings above, your data may be filtered from view in both the public and member enquiry and search API. Such data is termed “private data”.

For information on the differences between the public and member view of data, consult the document entitled “ISNI Access Comparison Public and Member”.

The following are examples of profiles for different types of contributor

Example 1. Rights Management Society and default profile

| Element | Values |
|--|-------------------------------------|
| Code | ACCE |
| Name | Access Copyright, Canada |
| Data confidence | 60 |
| Default creation class | txt |
| Default creation role | aut |
| Date restriction: persons | match only |
| Gender restriction | match only |
| Nationality restriction | match only |
| Date restriction: organisations | none |
| Resources and resource identifiers restriction | match only |
| Publisher restriction | match only |
| Affiliations restriction: person to persons | match only |
| Affiliations restriction: person to organisations | none |
| Affiliations restriction organisation to persons | none |
| Affiliations restriction organisation to organisations | none |
| unmatched records | leave and notify when ISNI assigned |

Example 2. Professional Society

| Element | Values |
|---------------------------|--------------------------------|
| Code | AMS |
| Name | American Musicological Society |
| Data confidence | 60 |
| Default creation class | txt |
| Default creation role | aut |
| Date restriction: persons | match only |

| | |
|--|-------------------------------------|
| Gender restriction | match only |
| Nationality restriction | match only |
| Date restriction: organisations | none |
| Resources and resource identifiers restriction | match only |
| Publisher restriction | match only |
| Affiliations restriction: person to persons | match only |
| Affiliations restriction: person to organisations | none |
| Affiliations restriction organisation to persons | none |
| Affiliations restriction organisation to organisations | none |
| unmatched records | leave and notify when ISNI assigned |

Example 3. Trade organisation

| Element | Values |
|--|-------------------------------------|
| Code | BOWK |
| Name | Bowker Books in Print |
| Data confidence | 31 |
| Default creation class | txt |
| Default creation role | aut |
| Date restriction: persons | match only |
| Gender restriction | match only |
| Nationality restriction | match only |
| Date restriction: organisations | none |
| Resources and resource identifiers restriction | match only |
| Publisher restriction | match only |
| Affiliations restriction: person to persons | match only |
| Affiliations restriction: person to organisations | none |
| Affiliations restriction organisation to persons | none |
| Affiliations restriction organisation to organisations | none |
| unmatched records | leave and notify when ISNI assigned |

Example 4. Special Databases from Libraries

| Element | Values |
|--|-------------------------------------|
| Code | BRTH |
| Name | British Library Theses |
| Data confidence | 30 |
| Default creation class | txt |
| Default creation role | aut |
| Date restriction: persons | none |
| Gender restriction | none |
| Nationality restriction | none |
| Date restriction: organisations | none |
| Resources and resource identifiers restriction | none |
| Publisher restriction | none |
| Affiliations restriction: person to persons | none |
| Affiliations restriction: person to organisations | none |
| Affiliations restriction organisation to persons | none |
| Affiliations restriction organisation to organisations | none |
| unmatched records | leave and notify when ISNI assigned |

| Element | Values |
|--|------------|
| Code | JNAM |
| Name | JISC Names |
| Data confidence | 60 |
| Default creation class | txt |
| Default creation role | aut |
| Date restriction: persons | none |
| Gender restriction | none |
| Nationality restriction | none |
| Date restriction: organisations | none |
| Resources and resource identifiers restriction | none |
| Publisher restriction | none |
| Affiliations restriction: person to persons | none |



| | |
|--|-------------------------------------|
| Affiliations restriction: person to organisations | none |
| Affiliations restriction organisation to persons | none |
| Affiliations restriction organisation to organisations | none |
| unmatched records | leave and notify when ISNI assigned |

| Version | Date | By | Comments |
|---------|------------|-----------------|----------|
| 1 | 2011-12-21 | Janifer Gatenby | |